

Date		Type	
Specifier		Project Name	



EMA LINE ADJUSTABLE 04 MICRO

Design: QUATTROBI TECHNICAL DEPARTMENT


Low voltage led light profile with fastening system.
Anti-glare emission whit UGR less than 19,
excellent for workplaces. Several module lengths
available for single or continuous row light.

Lisittings: c US LISTED



PRODUCT FEATURES

Type:	Track
Applications:	Indoor
Luminaire material:	Aluminium alloys
Protective screen:	Polycarbonate
Light source:	LED
Power Supply:	DC/DC led driver integrated
Wattage:	8.8
Delivered lumens:	lm
Color Temp:	3000K
CRI:	90+
Dimming:	0 - on-off, Dali



Specification recap

Type	Item #	Quantity

*Please make sure to include fixture and any accessories.

Quattrobi Inc. 2003 NW Royal Fern CT, Palm City, FL 34990 +1.347.613.5772 info@quattrobi.net

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on this sheet is subject to change at the discretion of Quattrobi Inc.

© copyright Quattrobi Inc 2025

EMA LINE ADJUSTABLE 04 MICRO

Design: QUATTROBI TECHNICAL DEPARTMENT



Ordering info

Model	Length	Adapter	Cri/Cct	Diffuser	Driver/dimmer	Finish
-----		-	----	-	-	--
MA08 8,8W	5,95"	P Serie 9600 compatible	9030 90CRI/3000K	S Lens 20° M lens 30° E 26x42°	0 on-off D dali	01 white 02 black

Ordering example: **MA08P9030S002**

For dry location The logo consists of a circle containing the letters "UL" with "US" to its right and "LISTED" below it.

EMA TRACK MICRO



FEATURES





Tracks

Installation
Track housing
Finishing


Suspended / Surface / Recessed
Extruded aluminum
White, Black




Surface
9600-.../B-ST1
9600-.../W2-ST1




Surface
9600-.../J-ST1
Painted track external white / internal black





Surface
9600-R03-90/B-ST1
9600-R03-90/W2-ST1



Surface
9600-R03-90/J-ST1
Painted track external white / internal black



Surface
9600-R05-90/B-ST1
9600-R05-90/W2-ST1



Surface
9600-R05-90/J-ST1
Painted track external white / internal black

EMA TRACK MICRO


FEATURES




Tracks

Installation
Track housing
Finishing



Suspended / Surface / Recessed
Extruded aluminum
White, Black




Surface
9600-R03-9V/B-ST1
9600-R03-9V/W-ST1





Surface
9600-R03-9V/J-ST1
Painted track external white / internal black



Recessed
9600-.../B-ST5
Trimless Track



Suspended
9600-.../B-ST6
9600-.../W2-ST6
Double Emission Track



Suspended
9600-.../B-ST15
9600-.../W2-ST15
Round Track

Accessories

For Track: **ST1** - Standard, **ST5** - Trimless, **ST6** - Double Emission, **ST15** - Round
Available colours: **W** - white RAL 9010, **W2** - white RAL 9016, **B** - black RAL 9005

Plastic end cap



9604/ST1-...

Plastic end cap




9604/ST5-...

Plastic end cap




9604/ST6-B

Plastic end cap




9604/ST15-B

Template for track installation



S-9600/D1-ST5

Aesthetic track cover (length: 3m)



S-9600/...-E-3000

Aesthetic track cover (length: 3m)



S-9600/...-E1-3000

Opal screen



S-9600/OP-3000


$T_L = 56\%$

Opal screen
 $T_L = 75\%$ for down light led board




S-9600/S-OP-3000

Transparent screen
for down light led board




S-9600/S-TR-3000

Led support for down light



S-9600/MP-3000

Locking tool for PVC to be used
in case of track cutting



S-9600/T

End-Feed



9601-E/B
9601-E/W

Concealed End-Feed with Wire



9601-S/B
9601-S/W

Joining Connector



9603/B
9603/W

L Joint



9611/B
9611/W

Accessories

For Track: **ST1** - Standard, **ST5** - Trimless, **ST6** - Double Emission, **ST15** - Round
Available colours: **W** - white RAL 9010, **W2** - white RAL 9016, **B** - black RAL 9005

L-Feed Ceiling-Wall




9612/B
9612/W

Adjustable Corner




9618-S/B
9618-S/W

Horizontal Mechanical Corner
Joint Cover for St1 Track



9605-O/B
9605-O/W

Vertical Mechanical Corner Joint
Cover for St1 Track



9605-V/B
9605-V/W

Plastic cup for steel cable
Ø 1.5 mm




S-9000/3-B
S-9000/3-W

Round Head Ceiling Attachment



S-9000/216

Ceiling Bracket for Suspensions



S-9000/132

Short Pendant Bracket for
Suspensions



S-9600/312-LA-B
S-9600/312-LA-W2

Bracket For "In Row"
Use Junction



S-9600/322-LA-B
S-9600/322-LA-W2

Bracket For "In Row"
Use Junction



S-9600/324-B
S-9600/324-W2

Steel Cable



S-9000/211-1,5
S-9000/211-3
S-9000/211-5

Steel Cable




S-9000/211-S-1,5
S-9000/211-S-3
S-9000/211-S-5

Automatic M3 Gripper with Side
Hole



S-9600/218

Set Screw for Gripper on the
Bracket



628/F

Automatic Lock



S-9000/214

Screw Gripper



S-9000/215