Date		Type	
Specifier		Project Name	

quattrobi inc

EMA 01

Design: QUATTROBI TECHNICAL DEPARTMENT

Led track light projector with magnetic fastening system.

1001 Only for track serie 9500 Evo type
ST1, ST3, ST6, ST8



M1021 For all track type (Serie Multisystem Evo 9500)



M1031 For all track type (Serie Multisystem Evo 9500)



Lisitings: c UL US LISTED

PRODUCT FEATURES

Type:	Track
Applications:	Indoor
Luminaire material:	Aluminium alloys
Protective screen:	Polycarbonate
Light source:	LED
Power Supply:	DC/DC led driver integrated
Wattage:	12 - 14 - 16 - 18
Delivered lumens:	1548 lm - 2367 lm
Color Temp:	2700K, 3000K, 3500K, 4000K
CRI:	80+, 90+, CRIMAX, F90
Dimming:	0/1-10V dim

Specification recap

Type	Item #	Quantity

*Please make sure to include fixture and any accessories.

Quattrobi Inc. 2003 NW Royal Fern CT, Palm City, FL 34990 +1.347.613.5772 info@quattrobi.net
Due to the dynamic nature of lighting products and the associated technologies, luminaire data on this sheet is subject to change at the discretion of Quattrobi Inc.
© copyright Quattrobi Inc 2024

EMA 01

Design: QUATTROBI TECHNICAL DEPARTMENT

Ordering info

Model	Power (W)	Adapter	Cri/Color	Beam	Dimming	Finish
-----	--	-	----	-	-	--
M1001 **M1021** **M1031**	**12** **14** **16** **18**	**K** Serie 9500 compatible (***)	**8030** 80CRI/3000K **8035** 80CRI/3500K **8040** 80CRI/4000K **9027** 90CRI/2700K **9030** 90CRI/3000K **9035** 90CRI/3500K **9730** 97CRI/3000K **CR27** CRIMAX/2700K **CR30** CRIMAX/3000K **CR35** CRIMAX/3500K **CR40** CRIMAX/4000K **F930** F90CRI/3000K **F935** F90CRI/3500K **F940** F90CRI/4000K Decor Version and other on request	**S** Spot **M** Medium **W** Wide Other on request	**0** On/off **A** 0-10V (°) **D** Dali	**01** white **02** black Other on request

*For other CRI, KELVIN and other customization please contact the cunsomer service

Ordering example :**M1001 12 K 8030 M A 01**

(**) adapter for Multisystem Evo 9500 series installable only in class 2 circuit
(***) adapter for Multisystem Evo 9500 series, Installable in isolated Low voltage circuits and in Class2 circuit

Accessories

SN60 .01 / .02 / .03
Accessory Snoot



HC60 .02
Accessory Honeycomb



EL60 .02
Accessory Elliptical Lens



Quattrobi Inc. 2003 NW Royal Fern CT, Palm City, FL 34990 +1.347.613.5772 info@quattrobi.net
Due to the dynamic nature of lighting products and the associated technologies, luminaire data on this sheet is subject to change at the discretion of Quattrobi Inc.
© copyright Quattrobi Inc 2024

EMA 01

Design: QUATTROBI TECHNICAL DEPARTMENT

Multiplying factors: (Multiplying Factor is based on 80CRI/3000K)

CCT	80CRI/3000K	80CRI/3500K	80CRI/4000K	90CRI/3000K
Factor	**1.0**	**1,035**	**1,053**	**0,847**

Wattage	15W	20W
Factor	**1.0**	**1.426**

Photometry

8030 S 15W 3000K CRI84 19°
Lumens: 2171



Candelas at Nadir

Deg	Candela
0	5049.32
5	4028.14
15	1799.25
25	892.52
35	642.19
45	292.84

8030 M 15W 3000K CRI84 38°
Lumens: 2171



Candelas at Nadir

Deg	Candela
0	2413.03
5	2422.68
15	2149.83
25	1062.99
35	645.14
45	292.84

8030 W 15W 3000K CRI84 55°
Lumens: 2171



Candelas at Nadir

Deg	Candela
0	2362.05
5	2260.01
15	1740.27
25	1283.28
35	699.71
45	92.83

Quattrobi Inc. 2003 NW Royal Fern CT, Palm City, FL 34990 +1.347.613.5772 info@quattrobi.net
Due to the dynamic nature of lighting products and the associated technologies, luminaire data on this sheet is subject to change at the discretion of Quattrobi Inc.
© copyright Quattrobi Inc 2024

Date		Type	
Specifier		Project Name	

quattrobi inc

EMA TRACK

Led track light projector with magnetic fastening system.

PRODUCT FEATURES

Installation	Suspended / Surface / Recessed
Track housing	Extruded aluminum
Finishing	White, Black

ST1: Surface



ST1 Curved: Surface

ST2: Suspended



ST3: Recessed



ST5: Recessed



ST6: Suspended

ST7: Suspended



ST8: Recessed



ST9: Suspended



ST10: Recessed

ST13: Recessed



ST15 Round: Surface

ST18: Recessed



Ordering info

Model	Length	Finish	Version
-----		--	-----
A9500	**-1/** 39,37" (1 mt.) **-2/** 78,74" (2 mt.) **-3/** 118,1" (3mt.) -4' / 1219,2 mm -8' / 2438,4 mm in request	**B** black **W** white	**-ST1** **-ST2** **-ST3** (black color only) **-ST5** (black color only) **-ST6** **-ST7** **-ST8** **-ST9** **-ST13** **-ST15** **-ST18**

(*) Track Multisystem 9500 series

For dry location c UL us CLASSIFIED Class2

Quattrobi Inc. 2003 NW Royal Fern CT, Palm City, FL 34990 +1.347.613.5772 info@quattrobi.net
Due to the dynamic nature of lighting products and the associated technologies, luminaire data on this sheet is subject to change at the discretion of Quattrobi Inc.
© copyright Quattrobi Inc 2024

quattrobi inc

ST1: Surface



ST2: Suspended



ST3: Recessed



ST5: Recessed



ST6: Suspended



ST7: Suspended



ST8: Recessed



ST9: Suspended



ST10: Recessed



ST13: Recessed



ST15 Round: Surface



ST18: Recessed



All power supplies:

M 040 48 12 - 40 Watt
M 080 48 12 - 80 Watt
M 150 48 12 - 150 Watt
M 185 48 12 - 185 Watt
M 320 48 12 - 320 Watt

Remote Driver, input voltage 120V 60Hz , output class2 48V DC 2Amps

Quattrobi Inc. 2003 NW Royal Fern CT, Palm City, FL 34990 +1.347.613.5772 info@quattrobi.net
Due to the dynamic nature of lighting products and the associated technologies, luminaire data on this sheet is subject to change at the discretion of Quattrobi Inc.
© copyright Quattrobi Inc 2024

Accessories

For Track: **ST1 - ST2 - ST3 - ST5 - ST6 - ST7 - ST8 - ST9 - ST10 - ST13 - ST15 - ST18**
Available colours: **W** - white RAL 9010, **W2** - white RAL 9016, **B** - black RAL 9005

Painted metal body end caps



9504/ST1-...

Polycarbonate body end caps



9504/ST1-P-...

Painted metal body end caps



9504/ST2-...

Polycarbonate body end caps



9504/ST2-P-...

Painted metal body end cap



9504/ST3...

Template for 9500...ST5... Track



S-9500/D1-ST5

Painted metal body end caps



9504/ST6-...

Polycarbonate body end caps



9504/ST6-P-...

Painted metal body end cap



9504/ST7-...

Painted metal body end cap

9504/ST8-...

Painted metal body end cap



9504/ST9-...

Template for 9500...ST10... Track



S-9500/D1-ST10

Template for 9500...ST13... Track



S-9500/D1-ST13

Polycarbonate body end cap



9504/ST15-P-...

Painted metal body end caps



9504/ST18-...

Aesthetic track cover

For: ST1, ST3, ST6, ST7, ST8, ST13



S-9500/SE-... (L: 3m)

Opal screen

For: ST1, ST3, ST6, ST7, ST8, ST13



S-9500/SE-OPN-3000 (L: 3m)

Fumè screen

For: ST1, ST3, ST6, ST7, ST8, ST13

S-9500/SE-F-3000 (L: 3m)

Microprismatic screen TL=87%

For ST2, ST6



S-9500/MIC-3000 (L: 3m)

Opal screen TL=56%

For ST2, ST6



S-9500/SE-... (L: 3m)

Quattrobi Inc. 2003 NW Royal Fern CT, Palm City, FL 34990 +1.347.613.5772 info@quattrobi.net
Due to the dynamic nature of lighting products and the associated technologies, luminaire data on this sheet is subject to change at the discretion of Quattrobi Inc.
© copyright Quattrobi Inc 2024

Accessories

For Track: **ST1 - ST2 - ST3 - ST5 - ST6 - ST7 - ST8 - ST9 - ST10 - ST13 - ST15 - ST18**
Available colours: **W** - white RAL 9010, **W2** - white RAL 9016, **B** - black RAL 9005

Transparent screen TL=90%

For ST2, ST6



S-9500/TR-3000 (L: 3m)

Aesthetic track cover

For:ST2, ST5, ST9



S-9500/LE-... (L: 3m)

Plaster installation guard

For: ST5



S-9500-L/B-... (L: 3m)

Opal screen

For: ST1, ST3, ST6, ST7, ST8, ST13



S-9500/SE-OPN-3000 (L: 3m)

Cutting tool for track conductors



S-9000/T

Quattrobi Inc. 2003 NW Royal Fern CT, Palm City, FL 34990 +1.347.613.5772 info@quattrobi.net
Due to the dynamic nature of lighting products and the associated technologies, luminaire data on this sheet is subject to change at the discretion of Quattrobi Inc.
© copyright Quattrobi Inc 2024

Polarized connections

For Track: **ST1 - ST2 - ST3 - ST5 - ST6 - ST7 - ST8 - ST9 - ST10 - ST13 - ST15 - ST18**
Available colours: **W** - white RAL 9010, **B** - black RAL 9005

Polycarbonate body end-feed-left



9501-S-KL/...-E

Polycarbonate body end-feed-right



9501-S-KR/...-E

Polycarbonate body jointing connector



9503-S-K/...-E

Polycarbonate body mechanical jointing connector



9503-S/...-M-E

Polycarbonate body internal polarized L feed

9511-KI/...-E

Polycarbonate body external polarized L feed

9511-KE/...-E

Polycarbonate body polarized T-feed



9513-K/...-E

Polycarbonate body polarized T-feed

9514-K/...-E

Polycarbonate body polarized T-feed

9515-K/...-E

Polycarbonate body polarized T-feed



9516-K/...-E

Polycarbonate body polarized X-feed

9517-K/...-E

Polycarbonate body adjustable corner



9518-S-K/...-E

Quattrobi Inc. 2003 NW Royal Fern CT, Palm City, FL 34990 +1.347.613.5772 info@quattrobi.net
Due to the dynamic nature of lighting products and the associated technologies, luminaire data on this sheet is subject to change at the discretion of Quattrobi Inc.
© copyright Quattrobi Inc 2024

Track fixing accessories

For Track: **ST1 - ST2 - ST3 - ST5 - ST6 - ST7 - ST8 - ST9 - ST10 - ST13 - ST15 - ST18**
Available colours: **W** - white RAL 9010, **W2** - white RAL 9016, **B** - black RAL 9005

Complete suspension kit

For: ST2, ST6, ST8

9500-KIT1-1,5
9500-KIT1-3
9500-KIT1-5

Complete suspension kit

For: ST2, ST6, ST8

9500-KIT2-1,5
9500-KIT2-3
9500-KIT2-5

Suspension set

For: ST2, ST6, ST7, ST9, ST15

S-9000-P6-P-...

Set for ceiling mounting with cup and terminal block



SET-RS/...-3

Set for ceiling mounting with cup and terminal block



SET-RS/...

Suspension set

For: ST2, ST6, ST7, ST9, ST15

S-9000-P3-...

Set for ceiling mounting with cup and terminal block
For: ST2, ST6, ST7, ST9, ST15

S-9000-P5-...

Suspension set

For: ST2, ST6, ST7, ST8, ST9, ST15

S-9000-P6-S-...

Suspension set

For: ST5, ST8, ST10



S-9000-P4

Ceiling clamp

For: ST2, ST6

S-9500/114-...

Track fast fixing clamp with gripper
For: ST2, ST6, ST7, ST8, ST9

S-9500/114-T-...

Track fast fixing clamp

For: ST2, ST6, ST7, ST8, ST9

S-9500/115-...

Clamp with m6 gripper

For: ST5, ST10, ST13



S-9000-P2/117

Fast fixing clamp with m6 threaded gripper
For: ST5, ST10, ST13

S-9000/118-...

Recessed clamp

For: ST8

S-9500/111-...

Recessed clamp

For: ST18



S-9500/112-...

Short pendant bracket for suspensions
For: ST1

S-9500/312-LA-...

Bracket for "in row" use junction

For: ST1

S-9500/322-LA-...

Short pendant bracket for suspensions
For: ST1

S-9500/312-SV-...

Bracket for "in row" use junction

For: ST1

S-9500/322-SV-...

Quattrobi Inc. 2003 NW Royal Fern CT, Palm City, FL 34990 +1.347.613.5772 info@quattrobi.net
Due to the dynamic nature of lighting products and the associated technologies, luminaire data on this sheet is subject to change at the discretion of Quattrobi Inc.
© copyright Quattrobi Inc 2024

Track fixing accessories

For Track: **ST1 - ST2 - ST3 - ST5 - ST6 - ST7 - ST8 - ST9 - ST10 - ST13 - ST15 - ST18**
Available colours: **W** - white RAL 9010, **W2** - white RAL 9016, **B** - black RAL 9005

Short pendant bracket for suspensions
For: ST2, ST6, ST8

S-9500/313-LA

Bracket for "in row" use junction

For: ST2, ST6, ST8

S-9500/323-LA

Short pendant bracket for suspensions
For: ST2, ST6, ST8

S-9500/313-M6

Bracket for "in row" use junction

For: ST2, ST6, ST8

S-9500/323-M6

Short pendant bracket for suspensions
For: ST2, ST6, ST8

S-9500/313-M13

Bracket for "in row" use junction

For: ST2, ST6, ST8

S-9500/323-M13

Set for ceiling mounting with cup and terminal block
For: ST2, ST6, ST7, ST9, ST15

S-9500/313-SV

Bracket for "in row" use junction

For: ST2, ST6, ST8

S-9500/323-SV

Reinforcing bracket for trimless use of jointing connector
For: ST3, ST5, ST7, ST9, ST10, ST15

S-9500/314-...

Bracket for trimless use

For: ST2

S-9500/315

Short pendant bracket for suspensions
For: ST7, ST9

S-9500/317-LA

Short pendant bracket for suspensions
For: ST7, ST9

S-9500/317-M6

Short pendant bracket for suspensions
For: ST7, ST9

S-9500/317-M13

Short pendant bracket for suspensions
For: ST7, ST9

S-9500/317-SV

Short pendant bracket for suspensions with m6 gripper

S-9000/312-M6-...

Bracket with m6 gripper for "in row" use junction

S-9000/322-M6-...

Short pendant bracket for suspensions
For: ST5

S-9500/314-LA-...

Short pendant bracket for suspensions
For: ST5

S-9500/314-M6-...

Short pendant bracket for suspensions
For: ST1

S-9500/312-SV-...

Bracket for "in row" use junction

For: ST1

S-9500/322-SV-...

Quattrobi Inc. 2003 NW Royal Fern CT, Palm City, FL 34990 +1.347.613.5772 info@quattrobi.net
Due to the dynamic nature of lighting products and the associated technologies, luminaire data on this sheet is subject to change at the discretion of Quattrobi Inc.
© copyright Quattrobi Inc 2024

Track fixing accessories

For Track: **ST1 - ST2 - ST3 - ST5 - ST6 - ST7 - ST8 - ST9 - ST10 - ST13 - ST15 - ST18**
Available colours: **W** - white RAL 9010, **W2** - white RAL 9016, **B** - black RAL 9005

Plastic cup for steel cable ø 1.5 mm

S-9000/3-...

Round head ceiling attachment

S-9000/216-...

Ceiling bracket for suspensions

S-9000/132

Hook with fixing hole (ø13mm) for stem

S-9000/232

Steel cable

S-9000/211-1,5
S-9000/211-3
S-9000/211-5

Steel cable with spherical end

S-9000/211-S-1,5
S-9000/211-S-3
S-9000/211-S-5

Stem with m13x1 end and nut

S-9000-1,2/604-...

Automatic lock

S-9000/214

Screw gripper

S-9000/215

Automatic M5 gripper with side hole

S-9000/218

Automatic M5 gripper with side hole

S-9000/220

Set screw for gripper on the bracket

602/F

Toothed elastic washer M5a for round track

S-9000/601

Quattrobi Inc. 2003 NW Royal Fern CT, Palm City, FL 34990 +1.347.613.5772 info@quattrobi.net
Due to the dynamic nature of lighting products and the associated technologies, luminaire data on this sheet is subject to change at the discretion of Quattrobi Inc.
© copyright Quattrobi Inc 2024

Connection joinings accessories

For Track: **ST2 - ST3 - ST5 - ST6 - ST8 - ST9 - ST10 - ST18**
Available colours: **W2** - white RAL 9016, **B** - black RAL 9005

Mechanical L-joint

For: ST2



S-9511/...-ST2

L Bracket for angles

S-9511/316-LA

Mechanical L-joint

For: ST2

S-9511/...-P-ST2

Mechanical T-joint

For: ST2

S-9513/...-P-ST2

Mechanical X-joint

For ST2 track



S-9517/...-P-ST2

External vertical mechanical corner joint
For: ST3

S-9511-E/...-ST3-E

Internal vertical mechanical corner joint
For: ST3



S-9511-I/...-ST3-E

Horizontal mechanical corner joint
For: ST3

S-9511/...-ST3-E

External vertical mechanical corner joint
For: ST5



S-9511-E/...-ST5

Internal vertical mechanical corner joint
For: ST5



S-9511-I/...-ST5

Horizontal mechanical corner joint
For: ST5



S-9511/...-ST5

Mechanical l-joint

For: ST6

S-9511/...-ST6

Mechanical L-joint

For: ST6



S-9511/...-P-ST6

Mechanical T-joint

For: ST6



S-9513/...-P-ST6

Mechanical X-joint

For: ST6



S-9517/...-P-ST6

Mechanical L-joint

For: ST8-E



S-9511/...-ST8-E

Mechanical L-joint

For: ST9

S-9511/...-P-ST9

Mechanical T-joint

For: ST9

S-9513/...-P-ST9

Mechanical X-joint

For: ST9



S-9517/...-P-ST9

External vertical mechanical corner joint
For: ST10



S-9511-E/...-ST10

Quattrobi Inc. 2003 NW Royal Fern CT, Palm City, FL 34990 +1.347.613.5772 info@quattrobi.net
Due to the dynamic nature of lighting products and the associated technologies, luminaire data on this sheet is subject to change at the discretion of Quattrobi Inc.
© copyright Quattrobi Inc 2024

For Track: **ST2 - ST3 - ST5 - ST6 - ST8 - ST9 - ST10 - ST18**
Available colours: **W2** - white RAL 9016, **B** - black RAL 9005

Internal vertical mechanical corner joint
For: ST10



S-9511-I/...-ST10

Horizontal mechanical corner joint
For: ST10



S-9511/...-ST10

Mechanical l-joint

For: ST18-E



S-9511/...-P-ST2

Quattrobi Inc. 2003 NW Royal Fern CT, Palm City, FL 34990 +1.347.613.5772 info@quattrobi.net
Due to the dynamic nature of lighting products and the associated technologies, luminaire data on this sheet is subject to change at the discretion of Quattrobi Inc.
© copyright Quattrobi Inc 2024